

Please show this information to people who are unaware of the Damage Being Caused by Injections

Injuries and Fatalities Following CoViD-19 Injections

This is information needs to be shared with parents, NHS workers, teachers, police...

In the UK, on 16th March 2022, the MHRA reported totals of **2,071 deaths** with **1,473,586** injuries suffered by **450,029** people due to CoViD-19 injections. That is an average of 3.3 injuries per injured person. Due to underreporting, the true numbers may be many times higher.

MHRA reports: <https://www.gov.uk/government/publications/coronavirus-CoViD-19-vaccine-adverse-reactions>

For sub-totals by brand and type of injury: www.sharewellness.co.uk/yellowcard

Across Europe, USA and elsewhere the picture is similar

For European (EEA and non-EEA) countries, EudraVigilance, verified by the European Medicines Agency (EMA), reported on 12th February 2022, **39,997 deaths** following CoViD-19 injections with **1,510,976** people injured. www.adrreports.eu/en/search_subst.html# www.sharewellness.co.uk/europe

USA to 18th March 2022: 26,059 CoViD-19 injection deaths, with Injuries reported for **1,195,934** people in the USA government's VAERS database. See: <https://openvaers.com/CoViD-data>

Note: These numbers include some that have occurred outside of USA. www.sharewellness.co.uk/vaers

Prior to 2021, the highest number of deaths recorded by VAERS, for any vaccine programme, was **52**.
The equivalent number for the current campaign is **24,827** and growing daily.

According to the **USA** government, **deaths in children** rapidly increased soon after mRNA-CoViD-injections started for under 18's. Here are just two examples:

- 13 year old boy, 1 day after Pfizer injection: <https://medalerts.org/vaersdb/findfield.php?IDNUMBER=1406840>
- 16 year old girl, 1 day after Pfizer injection: <https://medalerts.org/vaersdb/findfield.php?IDNUMBER=1757635>

VAERS record for each of a further 86 child deaths accessed from: www.sharewellness.co.uk/vaers

Further Truths

* Young people tend to shrug-off colds and 'CoViD-flu'. Now, teenagers are being asked to have second and third doses, while Pfizer intend to profit from the unnecessary inoculation of 5 to 11 year olds.

* **Having intramuscular injections is like Russian roulette**; sooner or later too much of the dose goes into the blood stream rather than staying in the muscle. See: www.sharewellness.co.uk/aspiration

* You can see and hear that injection injuries and deaths are *real* and not *rare* at 'No More Silence' <https://nomoresilence.world> as well as at www.realnotrare.com and many other places online.

* Over 100,000 UK healthcare workers refused the CoViD-19 injections. Many of these workers have cared for patients with life-changing adverse reactions from the mRNA-CoViD-injections.

In the USA and Israel many teenagers have already been harmed by a second dose.

You can save lives by taking action now

1. Understand and share that the CoViD-injections do not prevent 'CoViD-flu'.
2. Alert parents to the dangers described above so that they can protect their children.
3. Visit <https://childrensunion.org> to read and sign their [letter](#) to the government.
4. Demand an immediate halt to all injecting of CoViD 'vaccines'.

The above is available with working hyperlinks and for sharing/printing via: www.sharewellness.co.uk/onepageletter

West Yorkshire Police
Crime Ref #13220052372